



STOURFLEX Flange Tables

The flange tables below are based on the British Standards Requirements and are provided as a comparison guide only. For further details of flange dimensions please refer to the appropriate standards. J & P Supplies cannot accept responsibility for any errors that may have been included.

1/2" or 15mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|--------------|--|--|--------------------------------|------------------------------|------------------------------|
| IMPERIAL | BS10-D | 3 3/4" (95mm) | 2 5/8 (67mm) | 4 | 1/2" (13mm) | 9/16 (14mm) |
| | BS10-E | 3 3/4" (95mm) | 2 5/8 (67mm) | 4 | 1/2" (13mm) | 9/16 (14mm) |
| | BS10-F | 3 3/4" (95mm) | 2 5/8 (67mm) | 4 | 1/2" (13mm) | 9/16 (14mm) |
| | BS10-H | 4 1/2" (114mm) | 3 1/4 (83mm) | 4 | 1/2" (13mm) | 5/8 (16mm) |
| METRIC | PN6 | 80 mm | 55mm | 4 | M10 | 11mm |
| | PN10 | 95mm | 65mm | 4 | M12 | 14mm |
| | PN16 | 95mm | 65mm | 4 | M12 | 14mm |
| | PN25 | 95mm | 65mm | 4 | M12 | 14mm |
| | PN40 | 95mm | 65mm | 4 | M12 | 14mm |
| ANSI | 125/150 | 3 1/2 (89mm) | 2 3/8 (60mm) | 4 | 1/2" (13mm) | 5/8 (16mm) |
| | 300 | 3 3/4 (95mm) | 2 5/8 (67mm) | 4 | 1/2" (13mm) | 5/8 (16mm) |
| | 600 | 3 3/4 (95mm) | 2 5/8 (67mm) | 4 | 1/2" (13mm) | 5/8 (16mm) |



3/4" or 20mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------------|-----------------------------------|-----------------------|----------------------|----------------------|
| IMPERIAL | BS10-D | 4" (102mm) | 2 7/8" (73mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-E | 4" (102mm) | 2 7/8" (73mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-F | 4" (102mm) | 2 7/8" (73mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-H | 4.5" (114mm) | 3 1/4" (83mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 90mm | 65mm | 4 | M10 | 11mm |
| | PN10 | 105mm | 75mm | 4 | M12 | 14mm |
| | PN16 | 105mm | 75mm | 4 | M12 | 14mm |
| | PN25 | 105mm | 75mm | 4 | M12 | 14mm |
| | PN40 | 105mm | 75mm | 4 | M12 | 14mm |
| ANSI | 125/150 | 3 7/8" (98mm) | 2 3/4" (70mm) | 4 | 1/2" (13mm) | 5/8" (16mm) |
| | 300 | 4 5/8" (117mm) | 3 1/4" (83mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |
| | 600 | 4 5/8" (117mm) | 3 1/4" (83mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |



J & P Supplies Limited
Stourflex Expansion Joints & Pipeline Equipment
Junction Road, Audnam, Stourbridge, West Midlands, DY8 4YH



1" or 25mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------|-----------------------------|-----------------|-------------------|-------------------|
| IMPERIAL | BS10-D | 4. 1/2" (114mm) | 3. 1/4" (83mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-E | 4. 1/2" (114mm) | 3. 1/4" (83mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-F | 4. 3/4" (121mm) | 3. 7/16" (87mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-H | 4. 3/4" (121mm) | 3. 7/16" (87mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 100mm | 75mm | 4 | M10 | 11mm |
| | PN10 | 115mm | 85mm | 4 | M12 | 14mm |
| | PN16 | 115mm | 85mm | 4 | M12 | 14mm |
| | PN25 | 115mm | 85mm | 4 | M12 | 14mm |
| | PN40 | 115mm | 85mm | 4 | M12 | 14mm |
| ANSI | 125/150 | 4. 1/4" (114mm) | 3. 1/8" (79mm) | 4 | 1/2" (13mm) | 5/8" (16mm) |
| | 300 | 4. 7/8" (124mm) | 3. 1/2" (89mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |
| | 600 | 4. 7/8" (124mm) | 3. 1/2" (89mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |



1.1/4" or 32mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|--------------|--|--|--------------------------------|------------------------------|------------------------------|
| IMPERIAL | BS10-D | 4. 3/4" (121mm) | 3. 7/16" (87mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-E | 4. 3/4" (121mm) | 3. 7/16" (87mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-F | 5. 1/4" (133mm) | 3. 7/8" (98mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-H | 5. 1/4" (133mm) | 3. 7/8" (98mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 120mm | 90mm | 4 | M12 | 14mm |
| | PN10 | 140mm | 100mm | 4 | M16 | 18mm |
| | PN16 | 140mm | 100mm | 4 | M16 | 18mm |
| | PN25 | 140mm | 100mm | 4 | M16 | 18mm |
| | PN40 | 140mm | 100mm | 4 | M16 | 18mm |
| ANSI | 125/150 | 4. 5/8" (117mm) | 3. 1/2" (89mm) | 4 | 1/2" (13mm) | 5/8" (16mm) |
| | 300 | 5. 1/4" (133mm) | 3. 7/8" (98mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |
| | 600 | 5. 1/4" (133mm) | 3. 7/8" (98mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |



1.1/2 or 40mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------|-----------------------------|-----------------|-------------------|-------------------|
| IMPERIAL | BS10-D | 5. 1/4" (133mm) | 3. 7/8" (98mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-E | 5. 1/4" (133mm) | 3. 7/8" (98mm) | 4 | 1/2" (13mm) | 9/16" (14mm) |
| | BS10-F | 5. 1/2" (140mm) | 4. 1/8" (105mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-H | 5. 1/2" (140mm) | 4. 1/8" (105mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 130mm | 100mm | 4 | M12 | 14mm |
| | PN10 | 150mm | 110mm | 4 | M16 | 18mm |
| | PN16 | 150mm | 110mm | 4 | M16 | 18mm |
| | PN25 | 150mm | 110mm | 4 | M16 | 18mm |
| | PN40 | 150mm | 110mm | 4 | M16 | 18mm |
| ANSI | 125/150 | 5" (127mm) | 3. 7/8" (98mm) | 4 | 1/2" (13mm) | 5/8" (16mm) |
| | 300 | 6. 1/8" (156mm) | 4. 1/2" (114mm) | 4 | 3/4" (19mm) | 7/8" (22mm) |
| | 600 | 6. 1/8" (156mm) | 4. 1/2" (114mm) | 4 | 3/4" (19mm) | 7/8" (22mm) |



2" or 50mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------|-----------------------------|-----------------|-------------------|-------------------|
| IMPERIAL | BS10-D | 6" (152mm) | 4.1/2" (114mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-E | 6" (152mm) | 4. 1/2" (114mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-F | 6. 1/2" (165mm) | 5" (127mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-H | 6. 1/2" (165mm) | 5" (127mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 140mm | 110mm | 4 | M12 | 14mm |
| | PN10 | 165mm | 125mm | 4 | M16 | 18mm |
| | PN16 | 165mm | 125mm | 4 | M16 | 18mm |
| | PN25 | 165mm | 125mm | 4 | M16 | 18mm |
| | PN40 | 165mm | 125mm | 4 | M16 | 18mm |
| ANSI | 125/150 | 6" (152mm) | 4. 3/4" (121mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |
| | 300 | 6. 1/2" (165mm) | 5" (127mm) | 8 | 5/8" (16mm) | 3/4" (19mm) |
| | 600 | 6. 1/2" (165mm) | 5" (127mm) | 8 | 5/8" (16mm) | 3/4" (19mm) |



2.1/2" or 65mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|--------------|--|--|--------------------------------|------------------------------|------------------------------|
| IMPERIAL | BS10-D | 6. 1/2" (165mm) | 5" (127mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-E | 6. 1/2" (165mm) | 5" (127mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-F | 7. 1/4" (184mm) | 5. 3/4" (146mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-H | 7. 1/4" (184mm) | 5. 3/4" (146mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 160mm | 130mm | 4 | M12 | 14mm |
| | PN10 | 185mm | 145mm | 4 | M16 | 18mm |
| | PN16 | 185mm | 145mm | 4 | M16 | 18mm |
| | PN25 | 185mm | 145mm | 8 | M16 | 18mm |
| | PN40 | 185mm | 145mm | 8 | M16 | 18mm |
| ANSI | 125/150 | 7" (178mm) | 5. 1/2" (140mm) | 4 | 5/8" (16mm) | 3/8" (19mm) |
| | 300 | 7. 1/2" (191mm) | 5. 7/8" (149mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | 600 | 7. 1/2" (191mm) | 5. 7/8" (149mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |



3" or 80mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|--------------|--|----------------------------------|--------------------------------|------------------------------|------------------------------|
| IMPERIAL | BS10-D | 7. 1/4" (184mm) | 5. 3/4" (146mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-E | 7. 1/4" (184mm) | 5. 3/4" (146mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-F | 8" (203mm) | 6. 1/2" (165mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-H | 8" (203mm) | 6. 1/2" (165mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 190mm | 150mm | 4 | M16 | 18mm |
| | PN10 | 200mm | 160mm | 8 | M16 | 18mm |
| | PN16 | 200mm | 160mm | 8 | M16 | 18mm |
| | PN25 | 200mm | 160mm | 8 | M16 | 18mm |
| | PN40 | 200mm | 160mm | 8 | M16 | 18mm |
| ANSI | 125/150 | 7. 1/2" (191mm) | 6" (152mm) | 4 | 5/8" (16mm) | 3/4" (19mm) |
| | 300 | 8. 1/4" (210mm) | 6. 5/8" (168mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | 600 | 8. 1/4" (210mm) | 6. 5/8" (168mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |



4" or 100mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------------|-----------------------------------|-----------------------|----------------------|----------------------|
| IMPERIAL | BS10-D | 8. 1/2" (216mm) | 7" (178mm) | 4 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-E | 8. 1/2" (216mm) | 7" (178mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-F | 9" (229mm) | 7. 1/2" (191mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-H | 9" (229mm) | 7. 1/2" (191mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| METRIC | PN6 | 210mm | 170mm | 4 | M16 | 18mm |
| | PN10 | 220mm | 180mm | 8 | M16 | 18mm |
| | PN16 | 220mm | 180mm | 8 | M16 | 18mm |
| | PN25 | 235mm | 190mm | 8 | M20 | 22mm |
| | PN40 | 235mm | 190mm | 8 | M20 | 22mm |
| ANSI | 125/150 | 9" (229mm) | 7. 1/2" (191mm) | 8 | 5/8" (16mm) | 3/4" (19mm) |
| | 300 | 10" (254mm) | 7. 7/8" (200mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | 600 | 10. 3/4"(273mm) | 8. 1/2" (216mm) | 8 | 7/8" (22mm) | 1" (25mm) |



5" or 125mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|--------------|--|--|--------------------------------|------------------------------|------------------------------|
| IMPERIAL | BS10-D | 10" (254mm) | 8. 1/4" (210mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-E | 10" (254mm) | 8. 1/4" (210mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-F | 11" (279mm) | 9. 1/4" (235mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-H | 11" (279mm) | 9. 1/4" (235mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| METRIC | PN6 | 240mm | 200mm | 8 | M16 | 18mm |
| | PN10 | 250mm | 210mm | 8 | M16 | 18mm |
| | PN16 | 250mm | 210mm | 8 | M16 | 18mm |
| | PN25 | 270mm | 220mm | 8 | M24 | 26mm |
| | PN40 | 270mm | 220mm | 8 | M24 | 26mm |
| ANSI | 125/150 | 10" (254mm) | 8. 1/2" (216mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | 300 | 11" (279mm) | 9. 1/4" (235mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | 600 | 13" (330mm) | 10. 1/2"(267mm) | 8 | 1" (25mm) | 1.1/8" (29mm) |



6" or 150mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|--------------|--|--|--------------------------------|------------------------------|------------------------------|
| IMPERIAL | BS10-D | 11" (279mm) | 9 1/4" (235mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-E | 11" (279mm) | 9 1/4" (235mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-F | 12" (305mm) | 10 1/4" (260mm) | 12 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-H | 12" (305mm) | 10 1/4" (260mm) | 12 | 3/4" (19mm) | 7/8" (22mm) |
| METRIC | PN6 | 265mm | 225mm | 8 | M16 | 18mm |
| | PN10 | 285mm | 240mm | 8 | M20 | 22mm |
| | PN16 | 285mm | 240mm | 8 | M20 | 22mm |
| | PN25 | 300mm | 250mm | 8 | M24 | 26mm |
| | PN40 | 300mm | 250mm | 8 | M24 | 26mm |
| ANSI | 125/150 | 11" (279mm) | 9. 1/2" (241mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | 300 | 12 1/2" (318mm) | 10. 5/8"(270mm) | 12 | 3/4" (19mm) | 7/8" (22mm) |
| | 600 | 14" (356mm) | 11. 1/2"(292mm) | 12 | 1" (25mm) | 1. 1/8" (29mm) |



8" or 200mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------|-----------------------------|-----------------|-------------------|-------------------|
| IMPERIAL | BS10-D | 13. 1/4"(337mm) | 11. 1/2"(292mm) | 8 | 5/8" (16mm) | 11/16" (17mm) |
| | BS10-E | 13. 1/4"(337mm) | 11. 1/2"(292mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-F | 14. 1/2"(368mm) | 12. 3/4"(324mm) | 12 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-H | 14. 1/2"(368mm) | 12. 3/4"(324mm) | 12 | 3/4" (19mm) | 7/8" (22mm) |
| METRIC | PN6 | 320mm | 280mm | 8 | M16 | 18mm |
| | PN10 | 340mm | 295mm | 8 | M20 | 22mm |
| | PN16 | 340mm | 295mm | 12 | M20 | 22mm |
| | PN25 | 360mm | 310mm | 12 | M24 | 26mm |
| | PN40 | 375mm | 320mm | 12 | M27 | 30mm |
| ANSI | 125/150 | 13. 1/2"(343mm) | 11. 3/4"(298mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | 300 | 15" (381mm) | 13" (330mm) | 12 | 7/8" (22mm) | 1" (25mm) |
| | 600 | 16 1/2" (419mm) | 13 3/4" (349mm) | 12 | 1. 1/8" (29mm) | 1. 1/4" (32mm) |



10" or 250mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------------|-----------------------------------|-----------------------|----------------------|----------------------|
| IMPERIAL | BS10-D | 16" (406mm) | 14" (356mm) | 8 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-E | 16" (406mm) | 14" (356mm) | 12 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-F | 17" (432mm) | 15" (381mm) | 12 | 7/8" (22mm) | 1" (25mm) |
| | BS10-H | 17" (432mm) | 15" (381mm) | 12 | 7/8" (22mm) | 1" (25mm) |
| METRIC | PN6 | 375mm | 335mm | 12 | M16 | 18mm |
| | PN10 | 395mm | 350mm | 12 | M20 | 22mm |
| | PN16 | 405mm | 355mm | 12 | M24 | 26mm |
| | PN25 | 425mm | 370mm | 12 | M27 | 30mm |
| | PN40 | 450mm | 385mm | 12 | M30 | 33mm |
| ANSI | 125/150 | 16" (406mm) | 14. 1/4"(362mm) | 12 | 7/8" (22mm) | 1" (25mm) |
| | 300 | 17. 1/2"(445mm) | 15. 1/4"(387mm) | 16 | 1" (25mm) | 1. 1/8" (29mm) |
| | 600 | 20" (508mm) | 17" (432mm) | 16 | 1. 1/4" (32mm) | 1. 3/8" (35mm) |



12" or 300mm Flanges

| | TABLE | FLANGE OUTSIDE DIAMETER | PITCH CIRCLE DIAMETER (PCD) | NUMBER OF HOLES | DIAMETER OF BOLTS | DIAMETER OF HOLES |
|-----------------|---------|-------------------------------|-----------------------------------|-----------------------|----------------------|----------------------|
| IMPERIAL | BS10-D | 18" (457mm) | 16" (406mm) | 12 | 3/4" (19mm) | 7/8" (22mm) |
| | BS10-E | 18" (457mm) | 16" (406mm) | 12 | 7/8" (22mm) | 1" (25mm) |
| | BS10-F | 19. 1/4"(489mm) | 17. 1/4"(438mm) | 16 | 7/8" (22mm) | 1" (25mm) |
| | BS10-H | 19. 1/4"(489mm) | 17. 1/4"(438mm) | 16 | 7/8" (22mm) | 1" (25mm) |
| METRIC | PN6 | 440mm | 395mm | 12 | M20 | 22mm |
| | PN10 | 445mm | 400mm | 12 | M20 | 22mm |
| | PN16 | 460mm | 410mm | 12 | M24 | 26mm |
| | PN25 | 485mm | 430mm | 16 | M27 | 30mm |
| | PN40 | 515mm | 450mm | 16 | M30 | 33mm |
| ANSI | 125/150 | 19" (483mm) | 17" (432mm) | 12 | 7/8" (22mm) | 1" (25mm) |
| | 300 | 20. 1/2"(521mm) | 17. 3/4"(451mm) | 16 | 1. 1/8" (29mm) | 1. 1/4" (32mm) |
| | 600 | 22" (559mm) | 19. 1/4"(489mm) | 20 | 1. 1/4" (32mm) | 1. 3/8" (35mm) |